


NEWALL

PART # CONFIGURATION FOR

DSG-TT

SERIES INCREMENTAL LINEAR ENCODERS



Standard specifications shown in red

V 11.16.15

Measuring Lengths	Measuring Lengths	Measuring Lengths
2"	100"	248"
4"	102"	252"
6"	104"	260"
8"	108"	264"
10"	110"	276"
12"	112"	284"
14"	116"	286"
16"	120"	288"
18"	124"	300"
20"	128"	320"
22"	132"	324"
24"	136"	340"
26"	140"	360"
28"	144"	384"
30"	148"	408"
32"	150"	432"
34"	152"	462"
36"	154"	
38"	156"	
40"	160"	
42"	164"	
44"	166"	
46"	168"	
48"	170"	
50"	172"	
52"	176"	
54"	180"	
56"	184"	
58"	188"	
60"	192"	
64"	196"	
68"	200"	
72"	204"	
74"	212"	
76"	216"	
80"	220"	
82"	224"	
84"	232"	
88"	238"	
92"	240"	
96"	244"	

- Always order by measuring length (DSG overall length = measuring length + 10.2")
- Prefix the measuring length with 0's as necessary to get to 3 digit order code. Example: 2" is 002
- Linear Encoders include reader head with cable, scale (tube), and brackets to mount the scale (tube)
- Scale (tube) mounting kit # 600-80120 is provided with measuring Lengths of 2" to 96"
- Scale (tube) mounting kits # EP-2722-D and # 600-84605 (as required) provided with measuring lengths over 100"
- Extension cables are sold separately
- Bracket kits to mount the reader head are sold separately

Reader Head Bracket Kits

Part #	Description
UBK01-M	Universal Bracket Kit (Mounts two DSG reader heads)
UBK02-M	Universal Bracket Kit (Mounts one DSG and one DMG reader head)
LBK01-M	Lathe Bracket Kit (Mounts two DSG reader heads)
LBK02-M	Lathe Bracket Kit (Mounts one DSG and one DMG reader head)
BPK01-M	Bridgeport Bracket Kit (Mounts two DSG reader heads)
KBK01-M	Knee Bracket Kit (Mounts one DSG reader head)

Optional Scale (Tube) Mounting Hardware

Part #	Description
600-63610	Single End Mount for DSG scale (tube)

Setup Tube

Part #	Description
5555555	Alignment Tool for Use During Installation (Free)

NEWALL

PART # CONFIGURATION FOR
EXTENSION CABLES

for use with
DSG & DMG
SERIES LINEAR ENCODERS



↓
CABLE TYPE
ELD

↓
INPUT CONNECTOR
09D0 = 9-PIN D CONNECTOR (FEMALE)

↓
LENGTH
010 = 1m
020 = 2m
035 = 3.5m
050 = 5m
070 = 7m
100 = 10m
150 = 15m

↓
OUTPUT CONNECTOR TYPE
0D = 9-PIN D CONNECTOR (MALE)

↓
MISCELLANEOUS
0 = ARMORED CABLE

Standard specifications shown in red